

## Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X660

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

	diffic for cor	rection		on or thus report.		<u> </u>	
Establishment Name				Telephone Number	Date of It (mm/dd/y		
Establishment Address (number and street, city, state, zip code)				812 949 7391	2	18-57	
				812 379 1227	6/1	5/14/2019	
2104 Grantline Rd. New Albury. IN 47150						<del></del>	
Mais Commence Stores, 11c				Purpose:  1. Routine	Follow-up Release Date  // day 5  Summary of Violations:		
				2. Follow-up			
7.0. Box 347 Chubus, 12 47202				3. Complaint		•	
Person in Charge				4. Pre-Operational	$\perp_{\rm C} \infty$	$C \times NC \times R \times Z$	
Responsible Person's E-mail				5. Temporary			
				6. НАССР	Menu Type (See back of page)		
00 81@ our stores.com				7. Other (list)		2345	
Certified Food Manager						2345	
			TIFIED IN THE CHECKLIST AND NARRATIVE COL		AND THE OWNER.		
Section#	C/NC	R	ROM PREVIOUS INSPECTIONS ARE DENOTED IN Narra		AND IN THE	To Be Corrected By	
372	NC			<del></del>		Cornehd	
J	WC		Observed dumpster being left upon		<del></del>	Colmeted	
		++	- discussed reasurring issue with	h ric			
	<u></u>	$\vdash$	-dumpster empticed every ofthe	day, may ned a			
			lugar dampska or addition	nat condboard disape	<u>tr</u>		
433	NE	(	-dumpster supplied every ofter /wger dempster or addition ?become map not hung/not	o make medica dung	ا م	Corrected	
				,			
	<u> </u>			· · · · · · · · · · · · · · · · · · ·			
	].	<del> -  </del>	· · · · · · · · · · · · · · · · · · ·				
				÷ ,			
•					-	<u> </u>	
						·	
· ·				<del></del>			
,	<b>†</b>						
				······································			
	<del> </del> -						
	ļ						
Received by	y (name and	^		Inspected by (name and title			
Keair	sa Li	Bre	redina Store Man.	A.).	Ingram	(EHS)	
Received by	(sìgnature)	):	)	Inspected by (signature):			
1/100	na. F	(13	ending		ay		
cc:		1	cc;		cc;		
					ı		